

14th Floor, Centre Tower 3300 Bloor Street West Toronto, Ontario Canada M8X 2X4 Tel.: 416.734.3300 Fax: 416.231.1626

Toll Free: 1.877.682.8772

www.tssa.org

November 12, 2015

ALICIA CZERNIAWSKI ANRIC ENTERPRISES 701 EVANS AVE SUITE 202 TORONTO ON M9C 1A3 CA

Service Request Type: BPV-Fitting Registration

Service Request No.: 1729376 Your Reference No.: OSX-1407-0246 Registered to: AW-LAKE COMPANY

Dear ALICIA CZERNIAWSKI,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN No.: 0F18057.5

Main Design No.: FLOW METERS: TCM-CR-SOR

Expiry Date: 12-Nov-2025

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

The stamped copy of the approved registration and the invoice are mailed separately. Should you have any questions or require further assistance, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Charley Dong, P.Eng.

Tel.: 416-734-3436 Fax: 416-231-6183 Email: cdong@tssa.org NOTE: You cannot save the DATA you entered on this form, you must print a copy and FAX it or MAIL it!



p 20 - 2

TECHNICAL STANDARDS & SAFETY AUTHORITY 14th Floor, Centre Tower 3300 Bloor Street West Toronto, Ontario Canada M8X 2X4



STATUTORY DECLARATION Registration of Fittings		
	n or rittings	
Mark Iverson	Chlos Francos	
(Name and Pasition, e.g. President, Pla	ant manager, Chier Engineer)	
of AW-Lake Company		
(Name of Manufe	acturer)	
Located at 8809 Industrial Dr. Franksville, WI 53126	1-262-884-9800	1-262-884-9810
(Plant Address)	(Telephone No.)	(Fex No.)
do solemnly declare that the fittings listed hereunder, which are and Pressure Vesseis Regulation, comply with all of the requi		is and Safety Act, Boilers
(Title of recognized North Amwhich specifies the dimensions, materials of construction, pressure/te		ng the fittings and service;
or are not covered by the provisions of a recognized North Ame ASME B31.3, 2012 Edition as supported by the attack pressure/temperature ratings and the basis for such ratings, the	hed data which identifies the dimensio	ns, material of construction,
I further declare that the manufacture of these fittings is controlled by a ISO 9001:2008 which has been verified by the following authority, Inte		ents of (ISO 9000)
The items covered by this declaration, for which I seek registration, are category		type fittings. In support of
this application, the following information and/or test data are attached as follo Scope of Registration - (150914-TCM-CRN-SOR), Product Catalogu	ws:	_ yps 30cappa.co.
(drawings, calculations, te		
Declared before me at 3/21 4 h Street in the day of Spranky AD 20 15.	the City of Kenoslu	or State of w
Commissioner for Oaths:	Mer	
(Signature)	(Signature of L	Jeciarer)
FOR OFFICE US To the best of my knowledge and belief, the application meets the requirer Technical Standards and Safety Act, Bollers and Pressure Vessels Reg CSA Standard B51 and is accepted for registration in Category	ments of the Standards	Boilers and Pressure Vessels Safety Program
	F CRN! REGIS	TERED
Dated: Nov. 12/15 Nov	12/15 CRN: 0F/80 Signed: Cham	by Dong
NOTE: This registration expires on NOV. 12, 2025	orgued	12 2015
PV 00553 (06/04)	Date:	

THIS IS PART OF CRN OF 18057.5

Technical Standards & Safety Authority Boilers & Pressure Vessels Safety Division



Scope of Registration

Model & Size	Design Pressure	Design Temperature	Materials of Construction
TCM 65k - 2"	1450 psi	302F	Tubes: A 269 Type 316L
			Splitter: Cast A 351 CF3M
TCM 28k - 1"	1450 psi	302F	Tubes: A 269 Type 316L & Hastelloy B622- N06022
			Splitter: Cast A 351 CF3M & Hastelloy A 494, CX-2MW
TCM 5500 – ½"	5000 psi	302F	Tubes: A 269 Type 316L
			Splitter: Cast A 351 CF3M
TCM 7900	1450 psi	302F	Tubes: A 269 Type 316L
			Splitter: Cast A 351 CF3M
TCM 325	2900 psi	302F	Tubes: A 269 Type 316L
			Splitter: Machined 316L/1.4404
TCM 650	2900 psi	302F	Tubes: A 269 Type 316L
			Splitter: Machined 316L/1.4404
TCM 3100	2900 psi	302F	Tubes: A 269 Type 316L
			Splitter: Machined 316L/1.4404
TCM 1550	2900 psi	302F	Tubes: A 269 Type 316L
			Splitter: Machined 316L/1.4404

Name & Position:

Mark Iverson

General Manager

9/14/10

Signature & Date:

Flow Measurement Technology from TASI Flow Global Brands











